Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	35932	"707"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/07 17:09
L2	13874	L1 and ((invers\$2 with index) or (information\$2 with retriev\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/07 17:09
L3	2921	L2 and (((quer\$3 or search\$3) same result\$2) and pars\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/07 17:09
L4	993	L3 and @ad<="20000502"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/07 17:09
L5	345	L4 and ((rank\$3 or hierarch\$6 or level\$3) with result\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/07 17:09
L6	16	L5 and (inver\$4 with index)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/07 17:10
L7	22	L5 and (inver\$4 with index\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/07 17:11
S1	1194	((quer\$4 or search\$3) with inverse)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/06 19:16
S4	890	(((quer\$4 or search\$3) same inverse) same result\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/06 19:18

6-			T = ==::=			
S5	133	S4 and (hierarch\$7 or level\$3) and pars\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/06 19:20
S6	44	S5 and @ad<="20000502"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/07 11:27
S7	35932	"707"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/07 11:26
S8	73	S7 and (invers\$2 with index)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/07 11:29
S9	32	S8 and @ad<="20000502"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/07 12:50
S10	13874	S7 and ((invers\$2 with index) or (information\$2 with retriev\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/07 12:44
S11	3	("5956711" "5594641" "6006221"). pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/07 12:13
S12	2921	S10 and ((quer\$3 or search\$3) same result\$2) and pars\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/07 12:49
S13	2921	S10 and (((quer\$3 or search\$3) same result\$2) and pars\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/07 12:49
S14	993	S13 and @ad<="20000502"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/07 12:50

					<del> </del>	
S15	540	S14 and ((rank\$3 or hierarch\$6 or level\$3) same result\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/07 12:51
S16	345	S14 and ((rank\$3 or hierarch\$6 or level\$3) with result\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/07 12:52
S17	340	S16 and (rul\$3 or step\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/07 12:54
S18	280	S16 and (stor\$3 same result\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/07 12:56
S19	28	S18 and (grammar\$6 same rul\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/07 13:14
S20	54	S18 and (invers\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/07 13:18
S21	27	S18 and (invers\$3 same result\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/07 13:18
S22	9	S18 and (invers\$3 with result\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/07 13:18
S23	35932	"707"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/07 15:29
S24	13874	S23 and ((invers\$2 with index) or (information\$2 with retriev\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/07 15:29

S25	2921	S24 and (((quer\$3 or search\$3) same result\$2) and pars\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/07 15:29
S26	993	S25 and @ad<="20000502"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/07 15:29
S27	345	S26 and ((rank\$3 or hierarch\$6 or level\$3) with result\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/07 15:29
S28	340	S27 and (rul\$3 or step\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/07 15:30
S29	7	S27 and (invert\$4 with index)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/07/07 17:09